HP LaserJet Pro 500 color MFP M570



HP's best value for colour laser productivity

Finish jobs faster, produce high-impact colour, and get set up and connected quickly. Print from your smartphone or tablet with HP ePrint. Easily conserve resources and recycle used cartridges.





Expand your performance potential.

- Increase productivity and finish scanning jobs faster with single-pass, dual-head scanning.
- Print documents at up to 30 pages per minute⁵. Rely on a robust recommended monthly page volume of 1500 to 4000 pages.
- Convert hard copies to digital files for easy distribution and storage, and make flawless copies.
- Easily handle jobs to stay productive, using the 50-sheet document feeder and automatic two-sided printing.

Show off with powerful colour.

- Simplify workflows: access, store and print business content quickly with an 8.89 cm (3.5-inch) colour touchscreen.
- Make maximum impact optimise colour settings and get vivid results with incredible resolution.
- Produce top-notch marketing materials in the office on a broad range of media and in a variety of sizes.
- Start working fast with preinstalled cartridges. Get better value with optional high-capacity cartridges.

Enjoy fast, easy set-up and stay connected.

- Use HP Auto Wireless Connect to configure networking without wires.
- Print from your smartphone or tablet with HP ePrint³. Easily send prints from devices without a network^{2,8}.
- Use resources more efficiently with wireless and 10/100/1000T Gigabit Ethernet networking access. print. and share.
- Proactively manage this MFP, using HP Web Jetadmin to monitor office printing and device status remotely.

Help reduce your environmental impact.

- Help save energy with HP Auto-On/Auto-Off Technology, Instant-on Copy, and Instant-on Technology¹⁰.
- Conserve resources and save paper use automatic two-sided printing.
- Get centralised, easy access to custom energy-saving options and printer settings with HP EcoSMART Console.
- Reduce your impact easily recycle Original HP LaserJet toner cartridges through HP Planet Partners⁴.

Product walkaround

HP LaserJet Pro 500 color MFP M570dw shown

- 1. Flatbed scanner
- 2. 250-sheet output bin
- 3. One-door access to the preinstalled print cartridges
- 4. 250-sheet input tray 2
- 5. 50-sheet automatic document feeder
- 6. 8.89 cm (3.5 in) color touchscreen control panel with HP Business Apps
- 7. Easy-access USB port
- 8. Wireless networking
- 9. 100-sheet multipurpose tray
- 10. Convenient front on/off button
 11. Built-in 10/100 Ethernet networking
- 12. Hi-speed USB 2.0 printing port
- 13. Phone extension port
- 14. Fax port
- 15. Power connection





Series at a glance





Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw
Product number	CZ271A	CZ272A
Print and copy speed A4/letter (colour and black)	Up to 30/31 ppm	Up to 30/31 ppm
8.89 cm (3.5 in) color touchscreen and business app access	Yes	Yes
100-sheet multipurpose tray; 250-sheet input tray 2; 250-sheet output bin	Yes	Yes
Automatic two-sided printing, copying, and scanning	Yes	Yes
Built-in 10/100 Ethernet networking	Yes	Yes
Easy-access USB port	Yes	Yes
HP ePrint enabled	Yes	Yes
Wireless networking	N/A	Yes
Memory (not expandable)	256 MB	256 MB

Accessories, Supplies and Support

Accessories	CF084A HP Color LaserJet 500-sheet Paper and Heavy Media Tray	
	CF085A P LaserJet 500 color Series Printer Cabinet	
Supplies	CE403A HP 507A Magenta Original LaserJet Toner Cartridge 6,000 pages	
	CE254A HP Color LaserJet CE254A Toner Collection Unit Approximately 36,000 pages	
	CE400A HP 507A Black Original LaserJet Toner Cartridge 5,500 pages	
	CE400X HP 507X High Yield Black Original LaserJet Toner Cartridge 11,000 pages	
	CE401A HP 507A Cyan Original LaserJet Toner Cartridge 6,000 pages	
	CE402A HP 507A Yellow Original LaserJet Toner Cartridge 6,000 pages	
Connectivity	J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server	
Service and support	U6Y78E - HP 3 year Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support U6Y82E - HP 3 year 4 hour 13x5 Color LaserJet M570 Multifunction Printer Hardware Support U6Y90PE - HP 1 year Post Warranty Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support U6Y93PE - HP 1 year Post Warranty 4 hour 13x5 Color LaserJet M570 Multifunction Printer Hardware Support U6Y91PE - HP 2 year Post Warranty Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support (U6Y82E/U6Y93PE: Please check availability at country level)	

Technical specifications

Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw	
Product number	CZ271A	CZ272A	
Functions	Print, copy, scan, fax	Print, copy, scan, fax	
Control panel	8.89 cm intuitive touchscreen control panel with colour graphic display; Buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error, Wireless)		
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal): Up to 30 ppm; Colour (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 27 ipm		
First page out ²	Black (A4, ready): As fast as 10.5 sec; Colour (A4, ready): As fast as 10.5 sec		
Print resolution	Black (best): Up to 600 x 600 dpi; Colour (best): Up to 600 x 600 dpi; Technology: HP ImageREt 3600		
Monthly duty cycle	Up to 75,000 pages (A4); Recommended monthly page volume: 1500 to 4000		
Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PDF (v 1.7), AirPrint™ compatible		
Fonts and typefaces	84 scalable TrueType fonts		
Print area	Print margins: Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area: 210.9 x 350.6 mm		
Duplex printing	Automatic (standard)		
Сору	<u></u>		
Copy speed	Black (A4): Up to 30 cpm; Colour (A4): Up to 30 cpm		
Copier specifications	Number of copies; Reduce/Enlarge; Ligher/Darker; Optimise; Paper; Multi-page copy; Collation; Tray select; Two-sided; Draft mode; Image adjustment; Set as new defaults; Restore defaults Maximum number of copies : Up to 99 copies; Copy resolution: Up to 300 x 300 dpi; Reduce/Enlarge : 25 to 400%		
Scan			
Scan speed ³		colour); Duplex (A4): Up to 35.5 ipm (black & white), up to 13.5 ipm (colour)	
Scanner specifications	Scanner type: Flatbed, ADF Scan technology: Contact Image Sensor (CIS); Scan input modes: From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software; Twain version: Version 1.9; Duplex ADF scanning: Yes, dual head duplexing, colour scan; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 300 x 300 dpi (colour and black & white, ADF); Up to 1200 x 1200 dpi (black & white, flatbed)		
Scanner Advanced Features	Scan to e-mail; Scan to network folder (stand alone solution);	Scan to Cloud; Scan to USB	
Scannable area	Minimum media size (flatbed): Any size smaller than A4 Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 127 x 177 mm; Maximum media size (ADF): 216 x 356 mm		
Bit depth/ Grey scale levels	24-bit (8-bit for colour duplex scan) / 256		
Digital sending	Standard: Scan to e-mail with LDAP e-mail address lookup		
Fax			
Fax ⁴	Yes, 33.6 kbps		
Fax specifications	Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers		
Fax smart software features	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, print fax log		
Processor speed			
Connectivity	800 MHZ		
Standard		ernet; 1 RJ -11 (Fax); 1 RJ-11 (Phone only)	
Standard Wireless	800 MHZ	ernet; 1 RJ -11 (Fax); 1 RJ-11 (Phone only) Yes, built-in Gigabit 10/100/1000T Ethernet, Wi-Fi 802.11b/g/n	
-	800 MHZ 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit 10/100/1000T Eth		

Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw		
Product number	CZ271A	CZ272A		
Media handling				
Number of paper trays	Standard: 2; Maximum: 3			
Media types	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prep	unched, recycled, rough), postcards, transparencies, labels, envelopes		
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 148 x 210 to 216 x 297 mm; Optional 500-sheet Tray 3: 148 x 210 to 216 x 356 mm; Automatic two-sided printing unit: 148 x 210 to 216 x 356 mm			
	Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; postcards (JIS single, JIS double); envelopes (ISO DL, ISO C5, ISO B5); Tray 2, optional Tray 3: A4; A5; B5 (JIS); Automatic two-sided printing unit: A4; A5; B5 (JIS)			
Media handling	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 50-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet face-down output bin Optional input: Optional 500-sheet paper tray 3 ADF: Standard, 50 sheets			
Media weight	Tray 1: 60 to 216 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 176 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic two-sided printing unit: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); ADF: Tray 1: 60 to 216 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 176 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic two-sided printing unit: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (g			
Input capacity	Tray 1: sheets (75 g/m²): 100; labels, transparencies, cardstock (163 g/m²): 50; cardstock (216 g/m²): 30; envelopes: 10 Tray 2: sheets (75 g/m²): 250; cardstock (163 g/m²), labels, transparencies: 100 Tray 3: sheets (75 g/m²): 500; cardstock (163 g/m²), labels, transparencies: 200 (optional tray) Maximum: Up to 850 sheets ADF: Standard, 50 sheets			
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets			
Compatible operating systems	Full software installs supported on: Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012; Driver only installs supported on: Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2, Windows Server 2003 (32-bit) (SP3 or higher); Mac 05 X v10.6, v10.7 Lion, v10.8 Mountain Lion; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SuSE Linux (10.3, 11.0 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9			
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Mac: Mac OS X Mountain Lion (v 10.8), OS X Lion (v10.7x), v10.6x; 1 GB free hard disk space, CD-ROM/DVD-ROM or Internet, USB			
Software included	Windows®: HP Installer/Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Firmware Updater			
Printer management	Windows®: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimun	n network install), HP Web Jetadmin (download); Mac: HP Utility		
Dimensions and Weight				
Printer dimensions (W x D x H)	Minimum: 515 x 500 x 538 mm; Maximum: 825 x 915 x 948 mm	Minimum: 515 x 500 x 538 mm; Maximum: 825 x 915 x 948 mm		
Package dimensions (W x D x H)	733 x 644 x 730 mm	733 x 644 x 730 mm		
Printer weight	40.8 kg	40.8 kg		
Package weight	45.9 kg	45.9 kg		
Operating environment	Temperature: 10 to 30°C; Humidity: 20 to 60% RH			
Storage	Temperature: 0 to 35°C; Humidity: 10 to 90% RH			
Acoustics	Acoustic power emissions: 6.6 B(A) Acoustic pressure emissions: 52 dB(A)			
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A Consumption: 605 watts (printing), 440 watts (copying), 52 watts (ready), 8.1 wat (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 3.259 kWh/Week; Typical Electricity Consumption (TEC): 3.259 kWh/Week; Power supply type: Built-in power supply			
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy			
Certifications	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries ENERGY STAR® qualified	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC witl CE Marking (Europe), other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; Blue Angel RAL-UZ 205		
What's in the box	HP LaserJet Pro 500 color MFP M570dn; includes built-in automatic two-sided printing; built-in 10/100/1000T Gigabit Ethernet; HP Black LaserJet Toner	HP LaserJet Pro color MFP M570dw; includes built-in automatic two-sided printing; built-in 10/100/1000T Gigabit Ethernet; Wireless 802.11 b/g/n; HP Black LaserJet Toner Cartridge (~5500 pages), Cyan, Magenta and Yellow Toner		
	Cartridge (~5500 pages), Cyan, Magenta, and Yellow Toner Cartridges (~6000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable	Cartridges (~6000 pages); Printer Documentation and software on CD-ROM; Installation Guide, Support flyer, Warranty card; Power cord; Fax cable; USB cabl		

Footnotes

- 1 HP Auto Wireless Connect may not be available for all system configurations. Wireless performance is dependent upon physical environment and distance from access point. For information on compatibility, visit
- www.hp.com/go/autowirelessconnect.

 He wireless direct printing, built-in wireless connectivity, and HP Auto Wireless Connect are only available on the HP LaserJet Pro 500 color MFP M570dw.

 Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.
- ⁴ Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit: www.hp.com/recycle.

 5 Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- application, driver, and document complexity. First page out exact speed varies depending on the system configuration, software programme, document complexity, network, media width, media weight, environment, and job
- Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see www.hp.com/go/eprintcenter.

 HP Laser Jet 507X Black Toner Cartridge not included; please purchase separately.

 Mobile device must be wireless-enabled. Printer must be HP ePrint-enabled. Feature may require drivers or apps, available for download at www.hp.com/go/eprintcenter.

- 9 Wireless performance is dependent upon physical environment and distance from access point, and may be limited during active VPN connections.

 10 HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Exact speed varies depending on the system configuration, software application, driver and document complexity.
 ³ Scan speed measured from ADF with default settings (save to PDF). Exact speed varies depending on the system configuration and document complexity.
- ⁴ Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will take longer and use more memory













http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

